

Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.4Rev¹

| | |
|----------------------------------|---|
| Name of product/version: | Cloud Alloy |
| Report date: | 18 October 2023 |
| Product description: | Web application |
| Contact information: | gcp-accessibility@google.com |
| Evaluation methods used: | <p>This conformance report is based on the results of an accessibility audit of a representative sample of pages and components across selected user journeys, for the purpose of assessing conformance to accessibility guidelines.</p> <p>The W3C Website Accessibility Conformance Evaluation Methodology (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers.</p> <p>The following applications were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none">• Desktop browsers: Chrome (NVDA)• Assistive technologies: NVDA• Accessibility testing tools: Deque DevTools Pro, Deque Auditor, Color Contrast Analyser |
| Applicable standards/guidelines: | <p>This report covers the degree of conformance for the following accessibility standards/guidelines:</p> <ul style="list-style-type: none">• Web Content Accessibility Guidelines (WCAG) 2.0 Level A and AA• Web Content Accessibility Guidelines (WCAG) 2.1 Level A and AA• Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018• EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) and EN 301 549 |

¹ “Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

Table of contents

| | |
|---|----|
| Google Accessibility Conformance Report | 1 |
| Table of contents | 3 |
| Tested Pages | 3 |
| Terms | 4 |
| WCAG 2.1 Report | 5 |
| Table 1: Success Criteria, Level A | 5 |
| Table 2: Success Criteria, Level AA | 26 |
| Table 3: Success Criteria, Level AAA | 39 |
| Revised Section 508 Report | 40 |
| Chapter 3: Functional Performance Criteria (FPC) | 40 |
| Chapter 4: Hardware | 42 |
| Chapter 5: Software | 43 |
| Chapter 6: Support Documentation and Services | 46 |
| EN 301 549 Report | 47 |
| Chapter 4: Functional Performance Statements (FPS) | 47 |
| Chapter 5: Generic Requirements | 50 |
| Chapter 6: ICT with Two-Way Voice Communication | 55 |
| Chapter 7: ICT with Video Capabilities | 56 |
| Chapter 8: Hardware | 57 |
| Chapter 9: Web | 58 |
| Chapter 10: Non-Web Documents | 59 |
| Chapter 11: Software | 60 |
| Chapter 12: Documentation and Support Services | 61 |
| Chapter 13: ICT Providing Relay or Emergency Service Access | 62 |
| Legal disclaimer | 63 |

Tested Pages

Zero State Page

Cluster Create page

Cluster List page

Cluster Details page (AKA “Cluster Overview”)

Add Read pool subtask

Delete Cluster Button

Terms

The terms used in the conformance level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially supports: Some functionality of the product does not meet the criterion.

Does not support: The majority of product functionality does not meet the criterion.

Not applicable: The criterion is not relevant to the product.

Not evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

Table 1: Success Criteria, Level A

| Criteria | Conformance level | Remarks and explanations |
|--|--------------------|--|
| <p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software) | Partially Supports | <p>Most non-text content has text alternatives or has a text alternate that serve equivalent purpose across the pages tested. However, exceptions exist:</p> <ul style="list-style-type: none">• Some active images contain a text alternative that does not serve the same purpose as the image. Users who do not navigate by vision will be given different information than sighted users This occurs on the following pages: 'Cluster Create page', 'Cluster Details page (AKA Cluster Overview)', 'Cluster List page', 'Zero State page' and 'Add Read pool subtask' pages. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | There is no prerecorded video or prerecorded audio only, on the tested pages. |
| <p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) | Not Applicable | There is no synchronized media in the tested pages, therefore no captions. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) | Not Applicable | There is no synchronized media in the tested pages, therefore no audio description required. |

| Criteria | Conformance level | Remarks and explanations |
|---|--------------------|--|
| <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Partially Supports | <p>Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. However, there are exceptions:</p> <ul style="list-style-type: none"> • Some groups of form controls are not associated with their group label, meaning the purpose of individual controls in the group cannot be understood without the group label, on the 'Cluster Create page'. • Some heading levels are out of order, meaning the structure of the content is not properly conveyed to assistive technologies and persons with low to no vision, on the 'Cluster Create page' and 'Cluster Details page (AKA Cluster Overview)'. • A block of text is marked as a heading but is not a heading. This causes the structure of the content to be conveyed incorrectly to assistive technologies and persons with low to no vision, on the 'Cluster Details page (AKA Cluster Overview)'. • A visual heading is not marked as a heading, |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| | | <p>meaning the structure of the content is not properly conveyed to assistive technologies and persons with low to no vision on the 'Cluster Details page (AKA Cluster Overview)'.</p> <ul style="list-style-type: none"> • A list or listitem is not marked up properly, meaning the structure of the list is not properly conveyed to assistive technologies and persons with low to no vision, on the 'Delete Cluster Button' modal. |
| <p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) | Supports | <p>Content is presented in a meaningful way that can be programmatically determined across the user pages tested.</p> |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| <ul style="list-style-type: none"> 602.3 (Support Docs) | | |
| <p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Content does not rely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound for understanding and operating content. |
| <p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) | Supports | Use of alternates to color is widely supported across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|--------------------|---|
| <ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | There is no prerecorded audio that plays automatically in the tested pages. |
| <p><u>2.1.1 Keyboard</u> (Level A)</p> <p>Also applies to:</p> | Partially Supports | Keyboard navigation is well-supported across the user |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | <p>tested pages. However, there are exceptions:</p> <ul style="list-style-type: none"> • A function cannot be performed by keyboard alone, meaning persons who rely on keyboards cannot use the functions on the 'Add Read pool subtask' page. |
| <p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) | Supports | There are no keyboard traps on the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Keyboard shortcuts are supported across the pages tested. |
| <p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) | Supports | All content with timing and time limit adjustment is well-supported across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) | Supports | Moving, blinking, scrolling, or auto-updating information is well supported on the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | There is no flashing content across the pages tested. |
| <p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality) | Supports | Bypass blocks are supported across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <p>Software) – Does not apply</p> <ul style="list-style-type: none"> • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) | Supports | Pages have valid titles across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|---|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Focusable components receive focus in an order that preserves meaning and operability across the pages tested. |
| <p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) | Supports | The purpose of all links can be determined from the link text alone or from the link text together with its programmatically determined link context across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| <ul style="list-style-type: none"> • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) | Supports | There are no pointer gestures across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|--------------------|---|
| Revised Section 508 – Does not apply | | |
| <p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Pointer cancellation is supported across the pages tested. |
| <p><u>2.5.3 Label in Name</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) | Partially Supports | <p>Label in Name is well-supported across the pages tested. However, exceptions exist:</p> <ul style="list-style-type: none"> • Some accessible names do not contain visible label, affecting users who navigate by voice on the following pages: 'Create Cluster page, 'Cluster Details page (AKA Cluster Overview)' and 'Add Read pool subtask' pages. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Not Applicable | There is no functionality that is operated by device motion across the pages tested. |
| <p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) | Supports | Default human language of pages is supported across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>3.2.1 On Focus</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | All user interface components do not initiate changes of context across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <p><u>3.2.2 On Input</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | Nothing causes a change of context without advising the user beforehand across the pages tested. |
| <p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) | Supports | Input errors are detected and described across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | All labels or instructions on content are provided when required across the pages tested. |
| <p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> | Supports | Web: For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update |

| Criteria | Conformance level | Remarks and explanations |
|---|--------------------|---|
| <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | <p>indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p> |
| <p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) | Partially Supports | <p>Most interface components have a valid name, role, and value (when necessary). However, there is an exception:</p> <ul style="list-style-type: none"> • A set of form controls are grouped programmatically, but have no group label, meaning the grouping meaning is not conveyed to screen readers and other assistive technologies on the 'Add Read pool subtask' page. • An element has an invalid ARIA attribute, meaning users of assistive technologies may fail to understand or use the |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | <p>element on the 'Cluster List page'.</p> |

Table 2: Success Criteria, Level AA

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | There were no captions or synchronized media across the pages tested. |
| <p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) | Not Applicable | There was no prerecorded video content across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| <ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Content view is not restricted across the pages tested. |
| <p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) | Supports | The purpose of each input field collecting information can be programmatically determined across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| <ul style="list-style-type: none"> • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | | |
| <p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) | Supports | The visual presentation of text and images of text meets or exceeds contrast ratios across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> 602.3 (Support Docs) | | |
| <p><u>1.4.4 Resize text</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Text can be resized without assistive technology up to 200 percent without loss of content or functionality throughout the pages tested. |
| <p><u>1.4.5 Images of Text</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) | Supports | Images of text are not used incorrectly across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>1.4.10 Reflow</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Partially Support | <p>Reflow is well-supported across the pages tested. However, there are exceptions:</p> <ul style="list-style-type: none"> • Some content does not reflow to fit horizontally within the viewport when the page is adjusted to an equivalent width of 320px, meaning people with low vision who scale content using the browser zoom may not have access to the content on the following pages: ‘Cluster Create page’, Cluster List page’ and the ‘Cluster Details page (AKA Cluster Overview)’ pages. |
| <p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) | Supports | <p>The non-text contrast of elements and graphical objects is supported across several elements in the pages tested.</p> |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | | |
| <p><u>1.4.12 Text Spacing</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Text spacing is widely supported across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|---|
| <p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Content on hover or focus is dismissible, hoverable and persistent across the pages tested. |
| <p><u>2.4.5 Multiple Ways</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) | Supports | There are multiple ways to locate pages across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|--------------------|--|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | <p>Most headings and labels are descriptive across the pages tested. However, there is an exception:</p> <ul style="list-style-type: none"> Multiple links have the same programmatic link text but different destinations, meaning persons with low to no vision will not know where the links lead to on the following page: 'Cluster Details page (AKA Cluster Overview)'. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|---|
| <p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | Focus is visible and well-supported across the pages tested. |
| <p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply | Supports | The human language of each passage or phrase in the content can be programmatically determined across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software | Supports | <p>Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order across the pages tested.</p> |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | Supports | Components that have the same functionality within a set of Web pages are identified consistently across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------|--|
| <p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Supports | Error suggestion is implemented across the pages tested. |
| <p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) | Not Applicable | There were no legal commitments or financial transactions across the pages tested. |

| Criteria | Conformance level | Remarks and explanations |
|--|--------------------|---|
| <ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>4.1.3 Status Messages</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Partially Supports | <p>Status messages announcements are well-supported across the pages tested. However, there are exceptions:</p> <ul style="list-style-type: none"> • Some status messages are not automatically announced by the screen reader, meaning users relying on assistive technologies may miss the status messages or not encounter them in a timely fashion on the following page: 'Add Read pool subtask'. |

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

| Criteria | Conformance level | Remarks and explanations |
|-----------------------------------|--------------------------------|--|
| 302.1 Without Vision | Web: Partially Supports | <p>Most functions of the product are usable without vision.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 2.1.1 Keyboard• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value |
| 302.2 With Limited Vision | Web: Partially Supports | <p>Web: Most functions of the product are usable with limited vision.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 2.1.1 Keyboard• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value |
| 302.3 Without Perception of Color | Web: Supports | <p>Web: The functions of the product are usable without perception of color.</p> |
| 302.4 Without Hearing | Web: Supports | <p>Web: The functions of the product are usable without hearing.</p> |
| 302.5 With Limited Hearing | Web: Supports | <p>Web: The functions of the product are usable without hearing.</p> |
| 302.6 Without Speech | Web: Supports (Not Applicable) | <p>Web: The product does not require the use of speech.</p> |

| Criteria | Conformance level | Remarks and explanations |
|--|--------------------------------|---|
| 302.7 With Limited Manipulation | Web: Partially Supports | <p>Web: Users with limited manipulation who use speech recognition or switch control software will not have difficulty navigating to most of the controls.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none"> • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value |
| 302.8 With Limited Reach and Strength | Web: Supports (Not Applicable) | Web: The product does not provide a manual mode of operation. |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Web: Partially Supports | <p>Web: The product is functional for users with limited language, cognitive, and learning abilities. Users with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. The product provides labelling for most controls.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value |

Chapter 4: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 5: [Software](#)

Notes: Google Cloud Alloy is a web application, so its compliance with some of this chapter's criteria is dependent on the accessibility features available in the browser and operating system used to access this application.

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------------------------|--|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.x section | See information in WCAG 2.x section |
| 502 Interoperability with Assistive Technology | Heading cell – no response required | Heading cell – no response required |
| 502.2.1 User Control of Accessibility Features | Supports | |
| 502.2.2 No Disruption of Accessibility Features | Supports | |
| 502.3 Accessibility Services | Heading cell – no response required | Heading cell – no response required |
| 502.3.1 Object Information | Partially Supports | In most cases, the name, role, and value of user interface components can be programmatically determined. |
| 502.3.2 Modification of Object Information | Supports | Most states and properties that can be set by the user are capable of being set programmatically, including through assistive technology. |
| 502.3.3 Row, Column, and Headers | Supports | For objects in data tables, the occupied rows and columns, and any headers associated with those rows or columns, are programmatically determinable. |
| 502.3.4 Values | Supports | Any current value(s), and any set or range of allowable values associated with an object, is programmatically determinable. |
| 502.3.5 Modification of Values | Supports | Values that can be set by the user are capable of being set programmatically, |

| Criteria | Conformance level | Remarks and explanations |
|------------------------------------|-------------------|---|
| | | including through assistive technology. |
| 502.3.6 Label Relationships | Supports | Most relationships that a component has as a label for another component, or of being labeled by another component, are programmatically determinable. |
| 502.3.7 Hierarchical Relationships | Supports | Most hierarchical (parent-child) relationships that a component has as a container for, or being contained by, another component are programmatically determinable. |
| 502.3.8 Text | Supports | The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable. |
| 502.3.9 Modification of Text | Supports | Most text that can be set by the user is capable of being set programmatically, including through assistive technology. |
| 502.3.10 List of Actions | Supports | For most objects, a list of all actions that can be executed on that object are programmatically determinable. |
| 502.3.11 Actions on Objects | Supports | The application allows assistive technology to programmatically execute most available actions on objects. |
| 502.3.12 Focus Cursor | Supports | The application exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of all |

| Criteria | Conformance level | Remarks and explanations |
|---|-------------------------------------|---|
| | | user interface components. |
| 502.3.13 Modification of Focus Cursor | Supports | All focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including through the use of assistive technology. |
| 502.3.14 Event Notification | Partially Supports | Most automatic updates and status messages are automatically announced by assistive technologies. |
| 502.4 Platform Accessibility Features | Supports | The application does not have independent accessibility features. It utilizes the accessibility features of the browser and operating system used to access it. |
| <u>503 Applications</u> | Heading cell – no response required | Heading cell – no response required |
| 503.2 User Preferences | Supports | The application permits user preferences from platform settings for color, contrast, font type, font size, and focus cursor. |
| 503.3 Alternative User Interfaces | Not Applicable | |
| <u>503.4 User Controls for Captions and Audio Description</u> | Heading cell – no response required | Heading cell – no response required |
| 503.4.1 Caption Controls | Not Applicable | |
| 503.4.2 Audio Description Controls | Not Applicable | |
| <u>504 Authoring Tools</u> | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”) | Not Applicable | See information in WCAG 2.x section |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | |
| 504.2.2 PDF Export | Not Applicable | |
| 504.3 Prompts | Not Applicable | |
| 504.4 Templates | Not Applicable | |

Chapter 6: Support Documentation and Services

Notes: Not evaluated. Pending evaluation of the shared documentation website and shared support services for Google products.

| Criteria | Conformance level | Remarks and explanations |
|--|-------------------------------------|-------------------------------------|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| <u>602 Support Documentation</u> | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | | |
| 602.3 Electronic Support Documentation | | |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | | |
| <u>603 Support Services</u> | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | | |
| 603.3 Accommodation of Communication Needs | | |

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------|--|
| 4.2.1 Usage without vision | Web: Partially Supports | <p>Most functions of the product are usable without vision.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 2.1.1 Keyboard• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value• 4.1.3 Status Messages |
| 4.2.2 Usage with limited vision | Web: Partially Supports | <p>Web: Most functions of the product are usable with limited vision.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.4.10 Reflow• 2.1.1 Keyboard• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value• 4.1.3 Status Messages |
| 4.2.3 Usage without perception of colour | Web: Partially Supports | <p>Web: Most functions of the product are usable without perception of color.</p> <p>Exception is noted in:</p> <ul style="list-style-type: none">• 4.1.3 Status Messages |
| 4.2.4 Usage without hearing | Web: Partially Supports | <p>Web: Most functions of the product are usable without hearing.</p> <p>Exception is noted in:</p> <ul style="list-style-type: none">• 4.1.3 Status Messages |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------------------|---|
| | | |
| 4.2.5 Usage with limited hearing | Web: Partially Supports | <p>Web: Most functions of the product are usable without hearing.</p> <p>Exception is noted in:</p> <ul style="list-style-type: none"> • 4.1.3 Status Messages |
| 4.2.6 Usage without vocal capability | Web: Supports (Not Applicable) | Web: The product does not require the use of speech. |
| 4.2.7 Usage with limited manipulation or strength | Web: Partially Supports | <p>Web: Users with limited manipulation who use speech recognition or switch control software will not have difficulty navigating to most of the controls.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none"> • 2.4.6 Headings and Labels • 2.5.3 Label in Name • 4.1.2 Name, Role, Value • 4.1.3 Status Messages |
| 4.2.8 Usage with limited reach | Web: Supports (Not Applicable) | Web: The product does not provide a manual mode of operation. |
| 4.2.9 Minimize photosensitive seizure triggers | Web: Supports | Web: webpages do not contain flashing content or media. |
| 4.2.10 Usage with limited cognition | Web: Partially Supports | Web: The product is functional for users with limited language, cognitive, and learning abilities. Users with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. The product provides labelling for most controls. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------|-------------------|---|
| | | <p>Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value • 4.1.3 Status Messages |
| 4.2.11 Privacy | Web: Supports | The webpages do not provide any privacy features. |

Chapter 5: Generic Requirements

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 5.1 Closed functionality | Heading cell – no response required | Heading cell – no response required |
| 5.1.2 General | Heading cell – no response required | Heading cell – no response required |
| 5.1.2.1 Closed functionality | See 5.2 through 13 | See information in 5.2 through 13 |
| 5.1.2.2 Assistive technology | See 5.1.3 through 5.1.6 | See information in 5.1.3 through 5.1.6 |
| 5.1.3 Non-visual access | Heading cell – no response required | Heading cell – no response required |
| 5.1.3.1 General | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.2 Auditory output delivery including speech | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.3 Auditory output correlation | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.4 Speech output user control | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 5.1.3.5 Speech output automatic interruption | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.6 Speech output for non-text content | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.7 Speech output for video information | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.8 Masked entry | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.9 Private access to personal data | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.10 Non-interfering audio output | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.11 Private listening | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.12 Speaker volume | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 5.1.3.13 Volume reset | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.14 Spoken languages | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.15 Non-visual error identification | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.3.16 Receipts, tickets, and transactional outputs | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology. |
| 5.1.4 Functionality closed to text enlargement | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from enlarging text. |
| 5.1.5 Visual output for auditory information | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information. |
| 5.1.6 Operation without keyboard interface | Heading cell – no response required | Heading cell – no response required |
| 5.1.6.1 Closed functionality | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface. |
| 5.1.6.2 Input focus | Not applicable | The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 5.2 Activation of accessibility features | Not applicable | The product does not have specific documented accessibility features. |
| 5.3 Biometrics | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics. |
| 5.4 Preservation of accessibility information during conversion | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion. |
| 5.5 Operable parts | Heading cell – no response required | Heading cell – no response required |
| 5.5.1 Means of operation | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation. |
| 5.5.2 Operable parts discernibility | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation. |
| 5.6 Locking or toggle controls | Heading cell – no response required | Heading cell – no response required |
| 5.6.1 Tactile or auditory status | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status. |
| 5.6.2 Visual status | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------|-------------------|---|
| 5.7 Key repeat | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat. |
| 5.8 Double-strike key acceptance | Not applicable | The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance. |
| 5.9 Simultaneous user actions | Supports | The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys. |

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

Chapter 7: ICT with Video Capabilities

Notes: Not Applicable. This product does not contain any multimedia.

Chapter 8: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 9: [Web](#)

See the WCAG 2.x Report section.

Chapter 10: Non-Web Documents

Notes: Not applicable. The product does not include non-web documents.

Chapter 11: Software

Notes: Not applicable. The product is a web application and does not have authoring tool functionality.

Chapter 12: Documentation and Support Services

Notes: Not evaluated. Pending evaluation of the shared documentation website and shared support services for Google Appliances products.

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|-------------------------------------|
| 12.1 Product documentation | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Supports | |
| 12.1.2 Accessible documentation | | |
| 12.2 Support Services | Heading cell – no response required | Heading cell – no response required |
| 12.2.2 Information on accessibility and compatibility features | | |
| 12.2.3 Effective communication | Supports | |
| 12.2.4 Accessible documentation | | |

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer

© 2023 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® International Edition Version 2.4Rev." Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.