

Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.5Rev¹

Name of product/version:	Cloud DNS
Report date:	June 05 2024
Product description:	Web application
Contact information:	gcp-accessibility@google.com
Evaluation methods used:	<p>The W3C Website Accessibility Conformance Evaluation Methodology (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers.</p> <p>The following applications were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none">• Desktop browsers: Chrome (Windows), Chrome (Mac)• Assistive technologies: NVDA, JAWS, VoiceOver• Accessibility testing tools: Deque DevTools Pro, Deque Auditor, Color Contrast Analyser
Applicable standards/guidelines:	<p>This report covers the degree of conformance for the following accessibility standards/guidelines:</p> <ul style="list-style-type: none">• Web Content Accessibility Guidelines (WCAG) 2.0 Level A and AA• Web Content Accessibility Guidelines (WCAG) 2.1 Level A and AA• Web Content Accessibility Guidelines (WCAG) 2.2 Level A and AA• Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018• EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) and EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)

¹ “Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

Table of contents

Google Accessibility Conformance Report	1
Table of contents	2
Terms	3
WCAG 2.2 Report	4
Table 1: Success Criteria, Level A	4
Table 2: Success Criteria, Level AA	25
Table 3: Success Criteria, Level AAA	40
Revised Section 508 Report	41
Chapter 3: Functional Performance Criteria (FPC)	41
Chapter 4: Hardware	43
Chapter 5: Software	44
Chapter 6: Support Documentation and Services	48
EN 301 549 Report	50
Chapter 4: Functional Performance Statements (FPS)	50
Chapter 5: Generic Requirements	52
Chapter 6: ICT with Two-Way Voice Communication	57
Chapter 7: ICT with Video Capabilities	58
Chapter 8: Hardware	59
Chapter 9: Web	60
Chapter 10: Non-Web Documents	61
Chapter 11: Software	62
Chapter 12: Documentation and Support Services	63
Chapter 13: ICT Providing Relay or Emergency Service Access	64
Legal disclaimer	65

Terms

The terms used in the conformance level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially supports: Some functionality of the product does not meet the criterion.

Does not support: The majority of product functionality does not meet the criterion.

Not applicable: The criterion is not relevant to the product.

Not evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)	Supports	Non-text content has text alternatives or a text alternate that serves an equivalent purpose.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Prerecorded audio-only files are not present.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) 	Not Applicable	Prerecorded videos are not present.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	Not Applicable	Prerecorded videos are not present, so audio description is not required.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) 	Supports	The reading and navigation order is logical and intuitive.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) 	Supports	Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, visual location.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements.
<p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) 	Supports	A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.1.1 Keyboard</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>All functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and accesskeys are present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen reader is turned on.</p>

Criteria	Conformance level	Remarks and explanations
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) 	Supports	If a single character key shortcut exists, then the single character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 	Supports	Moving, blinking, scrolling, or auto-updating information can be paused, stopped, hidden, or otherwise controlled by the user.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	Not Applicable	The tested application does not contain flashing content.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	A method is provided to skip navigation and other page elements that are repeated across web pages.
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	Pages have descriptive and informative titles.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.3 Focus Order</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Supports	The navigation order of interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	The purpose of the links can be determined from the link text alone or from the link text and its programmatic context.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.1 (Web) 	Supports	All functionality that can be operated with a pointer can be operated with single-point actions.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential.
<p><u>2.5.3 Label in Name</u> (Level A 2.1 only)</p>	Supports	<p>For user interface components that include visible text labels, the</p>

Criteria	Conformance level	Remarks and explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>accessible name matches (or includes) the visible text in the label.</p>
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Supports</p>	<p>Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.</p>

Criteria	Conformance level	Remarks and explanations
Revised Section 508 – Does not apply		
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The language of each page is correct and can be determined programmatically.
<p><u>3.2.1 On Focus</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) 	Supports	When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.2.2 On Input</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.

Criteria	Conformance level	Remarks and explanations
<p><u>3.2.6 Consistent Help</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 Criteria <ul style="list-style-type: none"> – Does not apply • Revised Section 508 <ul style="list-style-type: none"> – Does not apply 	Supports	Help mechanisms occur in the same order relative to other page content across multiple web pages.
<p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) 	Supports	For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		that users know what input data is expected.
<p><u>3.3.7 Redundant Entry</u> (Level A)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply 	Supports	Information previously entered by the user that is required to be entered again in the same process is either auto-populated or available for the user to select.
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 	Not Applicable	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata . This criterion was removed from WCAG 2.2.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Supports	The name, role, state, and value of most user interface components can be programmatically determined.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		

Table 2: Success Criteria, Level AA

Criteria	Conformance level	Remarks and explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Live multimedia files with audio are not present, so synchronized captions are not required.
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) 	Not Applicable	Prerecorded multimedia files are not present, so audio descriptions are not required.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) 	Supports	The purpose for each input field that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Supports	All text and images of regular text have the required color contrast ratio with their backgrounds.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Content is readable and functional when browser zoom is set to 200% of its initial size.
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) 	Supports	When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.4.10 Reflow</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The content of pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide.
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) 	Supports	The boundaries and indicators of the visual states of each active user component and any graphics required to understand content have

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>a 3:1 color contrast ratio with adjacent colors or their background.</p>
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.</p>
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only)</p>	<p>Supports</p>	<p>When additional content is triggered by pointer hover or keyboard focus,</p>

Criteria	Conformance level	Remarks and explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>that additional content can be dismissed and hovered over, and the content persists until the user dismisses it.</p>
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Supports</p>	<p>Multiple ways are available to find other pages on the site.</p>

Criteria	Conformance level	Remarks and explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Headings and labels for form and interactive controls are informative.
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	It is visually apparent which page element is currently receiving keyboard focus.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 Criteria – Does not apply • Revised Section 508 – Does not apply 	Supports	Visible focus is not entirely obscured on any element.
<p><u>2.5.7 Dragging Movements</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 Criteria – Does not apply • Revised Section 508 – Does not apply 	Supports	Each element that uses dragging movements can also operate by a single pointer without dragging.

Criteria	Conformance level	Remarks and explanations
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 Criteria – Does not apply • Revised Section 508 – Does not apply 	Partially Supports	<p>Most targets meet a minimum size or have sufficient spacing around them. The following exceptions exist:</p> <ul style="list-style-type: none"> • Multiple links do not meet the minimum target size of 24 by 24 pixels, so people with motor disabilities may have difficulty activating them without activating an adjacent control. This occurs on the following pages: Landing Page - Response Policy Zones; Landing Page - Zones; Policy Details; Response Policy Details.
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	Supports	<p>The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Navigation patterns that are repeated on web pages are presented in the same relative order each time they appear and do not change order when navigating through the site.
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p>	Supports	Labels, names, and text alternatives for content that have the same

Criteria	Conformance level	Remarks and explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		<p>functionality across multiple web pages are consistently identified.</p>
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) 	<p>Supports</p>	<p>If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	Supports	<p>If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 Criteria <ul style="list-style-type: none"> – Does not apply • Revised Section 508 <ul style="list-style-type: none"> – Does not apply 	Supports	<p>Cognitive function tests are not required for any step in authentication processes unless that step provides at least one of the following:</p> <ul style="list-style-type: none"> • Another authentication method that does not rely on a cognitive function test. • A mechanism is available to assist the user in completing the cognitive function test. • The cognitive function test is to recognize objects. • The cognitive function test is to identify non-text content the user provided to the Web site.
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) 	Partially Supports	<p>In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exception exist:</p> <ul style="list-style-type: none"> • A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply		<p>message or they may not hear it in a timely fashion. This occurs on the following page: Equivalent Rest Modal.</p>

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Web: Supports	Web: All functionality is usable without vision. Exceptions are noted in:
302.2 With Limited Vision	Web: Supports	Web: All functionality is usable with limited vision. Exceptions are noted in:
302.3 Without Perception of Color	Web: Supports	Web: All functionality is usable without perception of color. Exceptions are noted in:
302.4 Without Hearing	Web: Supports	Web: All functionality is usable without hearing.
302.5 With Limited Hearing	Web: Supports	Web: All functionality is usable with limited hearing.
302.6 Without Speech	Web: Not Applicable	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Supports	Web: All functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations.
302.8 With Limited Reach and Strength	Web: Supports	Web: All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Supports	Web: All functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features

Criteria	Conformance level	Remarks and explanations
		that allow them to adapt content and work with assistive technology.

Chapter 4: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 5: [Software](#)

Notes: Cloud DNS is a web application, so its compliance with some of this chapter's criteria is dependent on the accessibility features available in the browser and operating system used to access this application.

Criteria	Conformance level	Remarks and explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
<i>502 Interoperability with Assistive Technology</i>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Supports	
502.2.2 No Disruption of Accessibility Features	Supports	
<i>502.3 Accessibility Services</i>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports	The name, role, and/or value of most user interface components can be programmatically determined.
502.3.2 Modification of Object Information	Supports	Most states and properties that can be set by the user are capable of being set programmatically, including through assistive technology.
502.3.3 Row, Column, and Headers	Supports	For objects in data tables, the occupied rows and columns, and any headers associated with those rows or columns, are programmatically determinable.

Criteria	Conformance level	Remarks and explanations
502.3.4 Values	Supports	Current values, and any set or range of allowable values associated with an object, are programmatically determinable.
502.3.5 Modification of Values	Supports	Values that can be set by the user are capable of being set programmatically, including through assistive technology.
502.3.6 Label Relationships	Supports	All relationships where a component that has as a label for another component, or of being labeled by another component, are programmatically determinable.
502.3.7 Hierarchical Relationships	Supports	All hierarchical (parent-child) relationships that a component has as a container for, or being contained by, another component are programmatically determinable.
502.3.8 Text	Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable.

Criteria	Conformance level	Remarks and explanations
502.3.9 Modification of Text	Supports	All text that can be set by the user is capable of being set programmatically, including through assistive technology.
502.3.10 List of Actions	Supports	For objects, a list of all actions that can be executed on that object are programmatically determinable.
502.3.11 Actions on Objects	Supports	The application allows assistive technology to programmatically execute all available actions on objects.
502.3.12 Focus Cursor	Supports	The application exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.
502.3.13 Modification of Focus Cursor	Supports	All focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including using assistive technology.
502.3.14 Event Notification	Supports	Automatic updates and status messages are automatically announced by

Criteria	Conformance level	Remarks and explanations
		assistive technologies.
502.4 Platform Accessibility Features	Supports	The application does not have independent accessibility features. It utilizes the accessibility features of the browser and operating system used to access it.
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The application permits user preferences from platform settings for color, contrast, font type, font size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	
<i>503.4 User Controls for Captions and Audio Description</i>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	

Criteria	Conformance level	Remarks and explanations
504.3 Prompts	Not Applicable	
504.4 Templates	Not Applicable	

Chapter 6: [Support Documentation and Services](#)

Notes: Not evaluated. Pending evaluation of the shared documentation website and shared support services for Google products.

Criteria	Conformance level	Remarks and explanations
601.1 Scope		
602 Support Documentation		
602.2 Accessibility and Compatibility Features	Not Applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
602.3 Electronic Support Documentation	Not applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
602.4 Alternate Formats for Non-Electronic Support Documentation	Not applicable	
603 Support Services		

Criteria	Conformance level	Remarks and explanations
603.2 Information on Accessibility and Compatibility Features	Not applicable	
603.3 Accommodation of Communication Needs	Not applicable	

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Supports	Web: All functionality is usable without vision.
4.2.2 Usage with limited vision	Web: Supports	Web: All functionality is usable with limited vision.
4.2.3 Usage without perception of colour	Web: Supports	Web: All functionality is usable without perception of color.
4.2.4 Usage without hearing	Web: Supports	Web: All functionality is usable without hearing.
4.2.5 Usage with limited hearing	Web: Supports	Web: All functionality is usable with limited hearing.
4.2.6 Usage without vocal capability	Web: Not Applicable	Web: The product does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Web: Supports	Web: All functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength.
4.2.8 Usage with limited reach	Web: Supports	Web: All functionality is usable by people with limited reach.
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.
4.2.10 Usage with limited cognition	Web: Supports	Web: All functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.

Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Web: Not Applicable	Web: The product does not provide accessibility features that need to maintain the privacy of its users.

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.2 Auditory output delivery including speech	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.3 Auditory output correlation	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.4 Speech output user control	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.5 Speech output automatic interruption	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.6 Speech output for non-text content	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.7 Speech output for video information	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.8 Masked entry	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.9 Private access to personal data	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.10 Non-interfering audio output	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.11 Private listening	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.12 Speaker volume	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.14 Spoken languages	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.15 Non-visual error identification	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.4 Functionality closed to text enlargement	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from enlarging text.
5.1.5 Visual output for auditory information	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.1.6.2 Input focus	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Supports	The product's documented accessibility features for specific needs can be activated without relying on a method that does not support that need.
5.3 Biometrics	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics.
5.4 Preservation of accessibility information during conversion	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.5.2 Operable parts discernibility	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status.
5.6.2 Visual status	Not applicable	The criterion is not relevant to the product. The product does not have a feature

Criteria	Conformance Level	Remarks and Explanations
		relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status.
5.7 Key repeat	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat.
5.8 Double-strike key acceptance	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance.
5.9 Simultaneous user actions	Supports	The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

Chapter 7: ICT with Video Capabilities

Notes: Not Applicable. This product does not contain any multimedia.

Chapter 8: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 9: [Web](#)

Reference the WCAG 2.2 Report for related issues, minus the issues for WCAG 2.2, which are out of scope for EN 301 549 guidelines:

2.4.11

2.5.7

2.5.8

3.2.6

3.3.7

3.3.8

Chapter 10: Non-Web Documents

Notes: Not applicable. The product does not include non-web documents.

Chapter 11: Software

Notes: Not applicable. The product is a web application under EN 301 549 definitions.

Chapter 12: Documentation and Support Services

Notes: Not evaluated. Pending evaluation of the shared documentation website and shared support services for Cloud DNS products.

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
12.1.2 Accessible documentation	Not applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not applicable	
12.2.3 Effective communication	Not applicable	
12.2.4 Accessible documentation	Not applicable	

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer

© 2023 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® International Edition Version 2.4Rev." Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.