

Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.5Rev¹

Name of product/version:	Contact Center AI Insights
Report date:	5 August 2024
Product description:	Web application
Contact information:	gcp-accessibility@google.com
Evaluation methods used:	<p>The W3C Website Accessibility Conformance Evaluation Methodology (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers.</p> <p>The following applications were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none">• Desktop browsers: Chrome (JAWS), Firefox (NVDA), and Safari (VoiceOver)• Assistive technologies: JAWS, NVDA, and VoiceOver• Accessibility testing tools: Axe Auditor, Axe Dev tools pro and Color Contrast Analyzer
Applicable standards/guidelines:	<p>This report covers the degree of conformance for the following accessibility standards/guidelines:</p> <ul style="list-style-type: none">• Web Content Accessibility Guidelines (WCAG) 2.0 Level A and AA• Web Content Accessibility Guidelines (WCAG) 2.1 Level A and AA• Web Content Accessibility Guidelines (WCAG) 2.2 Level A and AA• Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018

¹ “Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

- [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 \(2019-11\)](#) and [EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 \(2021-03\)](#)

Table of contents

Google Accessibility Conformance Report	1
Table of contents	3
Tested components that appear on multiple pages	4
Terms	4
WCAG 2.2 Report	5
Table 1: Success Criteria, Level A	5
Table 2: Success Criteria, Level AA	33
Table 3: Success Criteria, Level AAA	49
Revised Section 508 Report	50
Chapter 3: Functional Performance Criteria (FPC)	50
Chapter 4: Hardware	53
Chapter 5: Software	54
Chapter 6: Support Documentation and Services	60
EN 301 549 Report	61
Chapter 4: Functional Performance Statements (FPS)	61
Chapter 5: Generic Requirements	65
Chapter 6: ICT with Two-Way Voice Communication	70
Chapter 7: ICT with Video Capabilities	71
Chapter 8: Hardware	72
Chapter 9: Web	73
Chapter 10: Non-Web Documents	74
Chapter 11: Software	75
Chapter 12: Documentation and Support Services	76
Chapter 13: ICT Providing Relay or Emergency Service Access	77
Legal disclaimer	78

Tested Pages

- Conversation highlights - Custom highlights Tab
- Conversation highlights - Smart highlights Tab
- Conversation hub
- Cost Tab
- Create a new topic model flyout
- Create Usage Alert Dialog
- Credentials Tab
- Disable API Dialog
- Delete Credential Dialog
- Edit Quotas Dialog
- Import new conversations flyout
- Import new topic model dialog
- Metrics Tab
- Quotas and System Limits Tab
- Settings - Analysis Tab
- Settings - Conversations Tab
- Show Usage Chart Dialog
- Topic models

Tested components that appear on multiple pages

- Left Navigation - CCAI Cloud
- Left Navigation - GCP
- Header - CCAI Cloud

Terms

The terms used in the conformance level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially supports: Some functionality of the product does not meet the criterion.

Does not support: The majority of product functionality does not meet the criterion.

Not applicable: The criterion is not relevant to the product.

Not evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs)	Web: Partially Supports	Web: Most non-text content has text alternatives or a text alternate that serves an equivalent purpose. The following exceptions exist: <ul style="list-style-type: none">• Some decorative images are not hidden from screen readers, so people who are blind and/or use a screen reader will have to navigate through unnecessary and duplicative text. This occurs on the following pages: Topic models; Conversation hub.• Some images do not have a text alternative, so people who are blind and/or use a screen reader will not be able to access the information

Criteria	Conformance level	Remarks and explanations
<p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>available in the image and if it is an active image, will not understand its function. This occurs on the following pages: Conversation hub; Metrics Tab.</p> <ul style="list-style-type: none"> • A complex image does not have a text alternative, so people who are blind and/or use a screen reader will not be able to understand the information available in the image. This occurs on the following page: Conversation hub.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Web: Not Applicable</p>	<p>Web: Prerecorded audio-only files are not present.</p>

Criteria	Conformance level	Remarks and explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	Web: Pre Recorded videos are not present.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Web: Not Applicable	Web: Prerecorded videos are not present, so audio description is not required.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) 	Web: Partially Supports	<p>Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exist:</p> <ul style="list-style-type: none"> • A group of form controls is not programmatically associated with their group label, so the purpose of individual controls in the group cannot be understood by people who are blind and/or use a screen reader. This occurs on the following page: Conversation

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>highlights - Smart highlights Tab.</p> <ul style="list-style-type: none"> • An element's programmatic role requires one or more child element(s) but the child element(s) is/are missing, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose or content of the element or its related content. This occurs on the following pages: Create a new topic model flyout; Import new conversations flyout. • Text that visually functions as a heading is not marked up as a heading, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Edit Quotas Dialog. • A block of text is marked up as a heading but is not a heading, so the structure of the content is misrepresented to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Conversation hub. • A set of radio buttons is not programmatically grouped, so

Criteria	Conformance level	Remarks and explanations
		<p>the group label for the set of radio buttons will not be conveyed to people who are blind and/or use a screen reader and they will not understand the purpose of the individual radio buttons. This occurs on the following page: Import new conversations flyout.</p> <ul style="list-style-type: none"> • A heading level is out of order, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Credentials Tab. • Data is arranged visually like a data table, but the programmatic table header markup is missing or incomplete. People who are blind and/or use a screen reader will not be aware of the association between the table headers and their related data. This occurs on the following page: Conversation hub.
<p><u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) 	<p>Web: Partially Supports</p>	<p>Web: The reading and navigation order of most content is logical and intuitive. The following exception exists:</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • The screen reader skips and does not announce informative static content (text or images), so the intended meaning of that content will be lost or changed for people who are blind and/or use a screen reader. This occurs on the following pages: Create a new topic model flyout; Import new conversations flyout.
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> Color is used as the only method to identify errors on a form field, so the error will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs on the following pages: Conversation hub; Conversation highlights - Smart highlights Tab. Color is used as the only method to convey the state (such as "checked", "pressed", or "selected") of a control, so that information will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs on the following pages: Conversation

Criteria	Conformance level	Remarks and explanations
		<p>hub; Create a new topic model flyout; Conversation highlights - Smart highlights Tab; Import new conversations flyout; Header - CCAI Cloud; Conversation highlights - Custom highlights Tab; Left Navigation - CCAI Cloud.</p> <ul style="list-style-type: none"> • Color is the only visual method used to identify a link, and a link text's contrast ratio with the color of the surrounding text is less than 3:1, so people who are colorblind or have low vision may not be able to identify the link. This occurs on the following pages: Topic models; Conversation highlights - Smart highlights Tab.
<p><u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Web: Supports	Web: A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>2.1.1 Keyboard</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: On most pages, all functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and accesskeys present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen reader is turned on. The following exceptions exist:</p> <ul style="list-style-type: none"> An action cannot be performed when using a screen reader is turned on, so people who use a screen reader cannot perform this action. This occurs on the following page: Conversation hub.
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p>	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		from all navigable elements using only a keyboard.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Web: Supports	Web: If a single character key shortcut exists, then the single character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 	Web: Supports	Web: Moving, blinking, scrolling, or auto-updating information can be paused, stopped, hidden, or otherwise controlled by the user.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p>	Web: Not Applicable	Web: The tested application does not contain flashing content.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: A method is provided to skip navigation and other page elements that are repeated across web pages.

Criteria	Conformance level	Remarks and explanations
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Pages have descriptive and informative titles.
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) 	Web: Partially Supports	<p>Web: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • Keyboard focus is lost or misplaced as a result of user interaction or content update or refresh, so people who use

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>the keyboard to navigate content (including screen reader users) will become disoriented. This occurs on the following page: Conversation hub.</p> <ul style="list-style-type: none"> • Keyboard focus or touch screen swiping goes to an element that is hidden or empty, so people who use the keyboard to navigate content (including screen reader users) may become disoriented or confused. This occurs on the following page: Create a new topic model flyout.
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p>	Web: Supports	Web: The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All functionality that can be operated with a pointer can be operated with single-point actions.
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) 	Web: Supports	<p>Web: For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<ul style="list-style-type: none"> • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential.
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label.</p> <p>The following exception exists:</p> <ul style="list-style-type: none"> • The accessible name of multiple interactive elements (such as links, buttons, or form inputs) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access those elements. This occurs on the following pages: Topic models; Conversation hub; Create a new topic model flyout; Import new conversations flyout; Conversation highlights - Custom highlights Tab; Cost Tab; Header - CCAI Cloud; Metrics Tab.

Criteria	Conformance level	Remarks and explanations
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Web: Supports	Web: The language of each page is correct and can be determined programmatically.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>3.2.1 On Focus</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
<p><u>3.2.2 On Input</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.2.2 (Web) 	Web: Partially Supports	Web: In most cases, when a user inputs information or interacts with a control, it does not result in a substantial change to the page that

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		<p>could disorient the user, or the user is informed about the change ahead of time.</p> <p>The following exception exists:</p> <ul style="list-style-type: none"> When a user changes the setting of a user interface control (such as entering text in an input field or selecting a checkbox or radio button), it results in an unanticipated context change (such as opening a new window, moving focus to another element, or submitting a form), so people who have cognitive disabilities and others may be confused or disoriented. This occurs on the following pages: Topic models; Conversation hub.
<p><u>3.2.6 Consistent Help</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: On web pages that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.
<p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 	Web: Partially Supports	<p>Web: For most form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.</p> <p>The following exceptions exist:</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • A form field with an error is not identified in the text error message or a text alternative for an image, and the error message with the field name is not programmatically associated with the form field (so it is announced when a screen reader user navigates to the field), so people who are blind and/or use a screen reader will not be able to identify in which form field the error occurred. This occurs on the following page: Import new conversations flyout. • Errors for some form inputs (such as text input fields, radio buttons, select dropdowns, or checkboxes) are not identified with a text error message or a text alternative for an image, so people who are blind and/or use a screen reader will not be made aware that an error has occurred. This occurs on the following pages: Conversation hub; Conversation highlights - Smart highlights Tab.
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) 	<p>Web: Partially Supports</p>	<p>Web: For most form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that</p>

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>users know what input data is expected.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • The label for a form field is missing, so the field's purpose is not clear. This occurs on the following page: Show Usage Chart Dialog. • Some Instructions for a form input field are provided for sighted users, but they are inaccurate or incomplete for people who use assistive technology. This occurs on the following page: Show Usage Chart Dialog. • A group of elements is missing a visible group label, so the purpose of the elements in the group cannot be understood. This occurs on the following page: Metrics Tab.
<p><u>3.3.7 Redundant Entry</u> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered information is no longer valid or re-entering the information is essential or required to ensure security.</p>

Criteria	Conformance level	Remarks and explanations
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) 	Web: Partially Supports	<p>Web: The name, role, state, and value of most user interface components can be programmatically determined.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • A button does not have a programmatic role, so its role (usually button, but sometimes link or something else) is not conveyed to screen readers and other assistive

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>technologies and will not be available to people who use those technologies. This occurs on the following page: Conversation hub.</p> <ul style="list-style-type: none"> • When a button is pressed, its pressed state is not conveyed programmatically, so people who are blind and/or use a screen reader or other assistive technology will not be informed that the button is pressed. This occurs on the following pages: Conversation highlights - Smart highlights Tab; Conversation highlights - Custom highlights Tab. • An element does not have an attribute in its HTML code that will provide its programmatic role to assistive technology or the role assigned is not correct (like assigning a button the role of "checkbox"), so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or content of the element or how to interact with it. This occurs on the following page: Left Navigation - CCAI Cloud. • The programmatic state of an element that reveals or hides content ("expanded" or "collapsed") is missing or is

Criteria	Conformance level	Remarks and explanations
		<p>used incorrectly, so people who are blind and/or use a screen reader or other assistive technology will not be informed of the current state of the element or the state will be misrepresented. This occurs on the following page: Conversation hub.</p> <ul style="list-style-type: none"> For an element that allows a user either to select or not select a single option (like a checkbox or radio buttons) or to select from among 2 or more options (like a select dropdown), the state (such as checked/unchecked or selected/not selected) is not conveyed to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose of the element, the options available, and whether the element or an option is currently checked. This occurs on the following pages: Header - CCAI Cloud; Settings - Conversations Tab; Create Usage Alert Dialog. The content of a tooltip cannot be accessed using a screen reader, so people who are blind and others who use a screen reader will not be able to read this content. This

Criteria	Conformance level	Remarks and explanations
		<p>occurs on the following page: Conversation hub.</p> <ul style="list-style-type: none"> • An element that appears and functions like a combobox does not have the required attributes in its HTML code needed to provide its programmatic role, name, state, and other properties to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or content of the element or how to interact with it. This occurs on the following page: Settings - Conversations Tab. • An element does not have an attribute in its HTML code that will provide its programmatic state (such as "checked"/"not checked") to assistive technology or the state assigned is not correct, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the current state of the element or how to interact with it. This occurs on the following page: Import new conversations flyout.

Table 2: Success Criteria, Level AA

Criteria	Conformance level	Remarks and explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Not Applicable	Web: Live multimedia files with audio are not present, so synchronized captions are not required.
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) 	Web: Not Applicable	Web: Prerecorded multimedia files are not present, so audio descriptions are not required.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.

Criteria	Conformance level	Remarks and explanations
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The purpose for each input field that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Web: Partially Supports	<p>Web: Most text and images of regular text have the required color contrast ratio with their backgrounds. The following exceptions exist:</p> <ul style="list-style-type: none"> • The color contrast ratio between text and its background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the text. This occurs on the following pages: Conversation hub; Header - CCAI Cloud. • The color contrast ratio on hover or focus between a

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		<p>control's text label and its background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the text label of the control. This occurs on the following pages: Conversation hub; Header - CCAI Cloud.</p>
<p><u>1.4.4 Resize text</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exception exists:</p> <ul style="list-style-type: none"> Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the following pages: Conversation hub; Create a new topic model flyout; Conversation highlights - Smart highlights Tab; Import new conversations flyout; Settings - Conversations Tab; Conversation highlights - Custom highlights Tab; Settings - Analysis Tab. Functionality is lost when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to this functionality. This occurs

Criteria	Conformance level	Remarks and explanations
		on the following pages: Topic models; Conversation hub; Conversation highlights - Smart highlights Tab; Header - CCAI Cloud; Conversation highlights - Custom highlights Tab.
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: When content can be presented visually using only text, an image of text is not used to present that text.
<p><u>1.4.10 Reflow</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Web: Partially Supports	Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>The following exceptions exist:</p> <ul style="list-style-type: none"> • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content or functionality becomes unavailable, so people with low vision who increase the size of text and other content using the browser zoom will not be able to access all of the page's content and/or functionality. This occurs on the following pages: Topic models; Header - CCAI Cloud. • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content overlaps and cannot be seen or understood, so the overlapping content is not available to people with low vision who increase the size of text and other content using the browser zoom. This occurs on the following pages: Conversation hub; Metrics Tab; Create a new topic model flyout; Conversation highlights - Smart highlights Tab; Import new conversations flyout; Settings - Conversations Tab; Conversation highlights - Custom highlights Tab;

Criteria	Conformance level	Remarks and explanations
		Settings - Analysis Tab; Create Usage Alert Dialog.
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • The indicator for the state of an interactive element (like a checkbox or radio button) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving the state of the interactive element. This occurs on the following page: Conversation hub. • The focus indicator of an interactive element (like a button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving when the interactive element is receiving focus. This occurs on the following pages: Topic models; Conversation hub; Create a new topic model

Criteria	Conformance level	Remarks and explanations
		flyout; Conversation highlights - Smart highlights Tab; Import new conversations flyout; Conversation highlights - Custom highlights Tab; Left Navigation - CCAI Cloud; Settings - Analysis Tab; Import new topic model dialog.
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) 	Web: Partially Supports	Web: In most cases when additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it. The following exceptions exist:

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<ul style="list-style-type: none"> • Content that appears on mouse hover or keyboard focus (such as tooltips, drop-down menus, or popups) is not dismissible, so it obscures all or part of the original content on the page. This occurs on the following pages: Conversation hub; Left Navigation - GCP; Left Navigation - CCAI Cloud. • Content that appears on mouse hover (such as tooltips, drop-down menus, or popups) disappears when the mouse pointer is moved over that content, meaning people with disabilities, especially people with low vision who need to magnify text, may not be able to read the additional content. This occurs on the following pages: Conversation hub; Header - CCAI Cloud.
<p>2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply 	Web: Supports	Web: Multiple ways are available to find other pages on the site.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Web: Partially Supports	<p>Web: Most headings and labels for form and interactive controls are informative.</p> <p>The following exceptions exist:</p> <ul style="list-style-type: none"> • A programmatic label for a control or form input field does not convey the purpose of the control or input, so people who are blind and/or use a screen reader may not understand what the control does or what data to enter. This occurs on the following pages: Conversation hub; Create a new topic model

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		flyout; Import new conversations flyout. <ul style="list-style-type: none"> Multiple buttons have identical programmatic labels but different functionality, and there is no programmatic context, so people who are blind and/or use a screen reader will not know or may be confused or misled about what each button does. This occurs on the following pages: Conversation hub; Credentials Tab; Quotas and System Limits Tab; Settings - Analysis Tab
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 	Web: Partially Supports	Web: In most cases, it is visually apparent which page element is currently receiving keyboard focus. The following exceptions exist: <ul style="list-style-type: none"> An interactive element (such as a link, button, or form input) does not have a visual focus indicator, so sighted people who use a keyboard to navigate content will not know when that element is receiving focus. This occurs on the following page: Conversation hub. The visual focus indicator for an interactive element (such as a link, button, or form input) is not visible, so sighted people who use a keyboard to

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		navigate content will not know when that element is receiving focus. This occurs on the following pages: Create a new topic model flyout; Settings - Conversations Tab.
<u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.
<u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: All functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.
<u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: The size of the target for each clickable control is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.

Criteria	Conformance level	Remarks and explanations
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality 	Web: Supports	Web: Navigation patterns that are repeated on web pages are presented in the same relative order each time they appear and do not change order when navigating through the site.

Criteria	Conformance level	Remarks and explanations
<p>Software) – Does not apply</p> <ul style="list-style-type: none"> • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply 	Web: Supports	Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages are consistently identified.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Web: Supports	Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is

Criteria	Conformance level	Remarks and explanations
		available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exception exists:</p> <ul style="list-style-type: none"> • A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status message or they may not hear it in a timely fashion. This occurs on the following pages: Conversation hub; Edit Quotas Dialog; Create Usage Alert Dialog; Import new topic model dialog.

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Web: Partially Supports	<p>Web: Most functionality is usable without vision. Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.3.2 Meaningful Sequence• 1.4.1 Use of Color• 2.1.1 Keyboard• 2.4.3 Focus Order• 2.4.6 Headings and Labels• 3.2.2 On Input• 3.3.1 Error Identification• 4.1.2 Name, Role, Value
302.2 With Limited Vision	Web: Partially Supports	<p>Web: Most functionality is usable with limited vision. Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.3.2 Meaningful Sequence• 1.4.1 Use of Color• 1.4.3 Contrast (minimum)• 1.4.4 Resize Text• 2.1.1 Keyboard• 2.4.3 Focus Order• 2.4.6 Headings and Labels• 2.4.7 Focus Visible• 3.2.2 On Input• 3.3.1 Error Identification• 3.3.2 Labels or Instructions• 4.1.2 Name, Role, Value

Criteria	Conformance level	Remarks and explanations
302.3 Without Perception of Color	Web: Partially Supports	Web: Most functionality is usable without perception of color. Exceptions are noted in: <ul style="list-style-type: none"> • 1.4.1 Use of Color • 1.4.3 Contrast (minimum) • 3.3.1 Error Identification
302.4 Without Hearing	Web: Supports	Web: All functionality is usable without hearing.
302.5 With Limited Hearing	Web: Supports	Web: All functionality is usable with limited hearing.
302.6 Without Speech	Web: Not Applicable	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Partially Supports	Web: Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in: <ul style="list-style-type: none"> • 2.1.1 Keyboard • 2.4.3 Focus Order • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 4.1.2 Name, Role, Value
302.8 With Limited Reach and Strength	Web: Supports	Web: All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Partially Supports	Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:

Criteria	Conformance level	Remarks and explanations
		<ul style="list-style-type: none"> • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.4.3 Focus Order • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 3.2.2 On Input • 3.3.1 Error Identification • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value

Chapter 4: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 5: [Software](#)

Notes: Google Private Service Connect is a web application, so its compliance with some of this chapter's criteria is dependent on the accessibility features available in the browser and operating system used to access this application.

Criteria	Conformance level	Remarks and explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Supports	
502.2.2 No Disruption of Accessibility Features	Supports	
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Web: Partially Supports	Web: The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none">• 4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Web: Partially Supports	Web: For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is

Criteria	Conformance level	Remarks and explanations
		<p>available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value
502.3.3 Row, Column, and Headers	Web: Partially Supports	<p>Web: In most instances when a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> 1.3.1 Info and Relationships
502.3.4 Values	Web: Partially Supports	<p>Web: For most objects that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. Exceptions include:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value

Criteria	Conformance level	Remarks and explanations
502.3.5 Modification of Values	Web: Partially Supports	<p>Web: For most objects that allow the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions include:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Web: Partially Supports	<p>Web: For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.3.1 Info and Relationships. • 4.1.2 Name, Role, Value
502.3.7 Hierarchical Relationships	Web: Partially Supports	<p>Web: When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.</p> <ul style="list-style-type: none"> • 1.3.1 Info and Relationships

Criteria	Conformance level	Remarks and explanations
502.3.8 Text	Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable.
502.3.9 Modification of Text	Supports	All text that can be set by the user is capable of being set programmatically, including through assistive technology.
502.3.10 List of Actions	Supports	For objects, a list of all actions that can be executed on that object are programmatically determinable.
502.3.11 Actions on Objects	Web: Partially Supports	<p>Web: For most of the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology. Exceptions include:</p> <ul style="list-style-type: none"> • 2.1.1 Keyboard Navigation
502.3.12 Focus Cursor	Supports	The application exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.

Criteria	Conformance level	Remarks and explanations
502.3.13 Modification of Focus Cursor	Supports	All focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including using assistive technology.
502.3.14 Event Notification	Web: Supports	Web: Web: Status messages relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Supports	The application does not have independent accessibility features. It utilizes the accessibility features of the browser and operating system used to access it.
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The application permits user preferences from platform settings for color, contrast, font type, font size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	
<i>503.4 User Controls for Captions and Audio Description</i>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	

Criteria	Conformance level	Remarks and explanations
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	
504.3 Prompts	Not Applicable	
504.4 Templates	Not Applicable	

Chapter 6: Support Documentation and Services

Criteria	Conformance level	Remarks and explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features		
602.3 Electronic Support Documentation		
602.4 Alternate Formats for Non-Electronic Support Documentation		
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features		
603.3 Accommodation of Communication Needs		

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Partially Supports	<p>Web: Most functionality is usable without vision. Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.3.2 Meaningful Sequence• 1.4.1 Use of Color• 2.1.1 Keyboard• 2.4.3 Focus Order• 2.4.6 Headings and Labels• 3.2.2 On Input• 3.3.1 Error Identification• 4.1.2 Name, Role, Value• 4.1.3 Status Messages
4.2.2 Usage with limited vision	Web: Partially Supports	<p>Web: Most functionality is usable with limited vision. Exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.3.2 Meaningful Sequence• 1.4.1 Use of Color• 1.4.3 Contrast (minimum)• 1.4.4 Resize Text• 1.4.10 Reflow• 1.4.11 Non-Text Contrast• 1.4.13 Content on Hover or Focus• 2.1.1 Keyboard• 2.4.3 Focus Order• 2.4.6 Headings and Labels• 2.4.7 Focus Visible• 3.2.2 On Input

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • 3.3.1 Error Identification • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value
4.2.3 Usage without perception of color	Web: Partially Supports	<p>Web: Most functionality is usable without perception of color. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.4.1 Use of Color • 1.4.3 Contrast (minimum) • 1.4.11 Non-Text Contrast • 3.3.1 Error Identification
4.2.4 Usage without hearing	Web: Supports	Web: All functionality is usable without hearing.
4.2.5 Usage with limited hearing	Web: Supports	Web: All functionality is usable with limited hearing.
4.2.6 Usage without vocal capability	Web: Not Applicable	Web: The product does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Web: Partially Supports	<p>Web: Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.4.13 Content on Hover or Focus • 2.1.1 Keyboard • 2.4.3 Focus Order • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 2.5.3 Label in Name • 4.1.2 Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
4.2.8 Usage with limited reach	Web: Supports Partially	<p>Web: Most functionality is usable by people with limited reach. Exceptions are noted in</p> <ul style="list-style-type: none"> • 1.4.13 Content on Hover or Focus • 2.5.3 Label in Name
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	<p>Web: All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.</p>
4.2.10 Usage with limited cognition	Web: Partially Supports	<p>Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 1.4.11 Non-Text Contrast • 1.4.13 Content on Hover or Focus • 2.1.1 Keyboard • 2.4.3 Focus Order • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 2.5.3 Label in Name • 3.2.2 On Input • 3.3.1 Error Identification • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value • 4.1.3 Status Messages

Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Web: Supports	The Google Contact Center AI Insights webpages do not provide any privacy features.

Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.2 Auditory output delivery including speech	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.3 Auditory output correlation	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.4 Speech output user control	Not applicable	The product does not contain functionality limited by characteristics that prevent a

Criteria	Conformance Level	Remarks and Explanations
		user from attaching, installing, or using assistive technology.
5.1.3.5 Speech output automatic interruption	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.6 Speech output for non-text content	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.7 Speech output for video information	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.8 Masked entry	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.9 Private access to personal data	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.10 Non-interfering audio output	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.11 Private listening	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.12 Speaker volume	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.13 Volume reset	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.14 Spoken languages	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.15 Non-visual error identification	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.4 Functionality closed to text enlargement	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from enlarging text.
5.1.5 Visual output for auditory information	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.6.1 Closed functionality	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.1.6.2 Input focus	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.2 Activation of accessibility features	Supports	The product's documented accessibility features for specific needs can be activated without relying on a method that does not support that need.
5.3 Biometrics	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics.
5.4 Preservation of accessibility information during conversion	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.5.2 Operable parts discernibility	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.

Criteria	Conformance Level	Remarks and Explanations
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status.
5.6.2 Visual status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status.
5.7 Key repeat	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat.
5.8 Double-strike key acceptance	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance.
5.9 Simultaneous user actions	Supports	The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Chapter 8: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 9: [Web](#)

Reference the WCAG 2.2 Report for related issues, minus the issues for WCAG 2.2, which are out of scope for EN 301 549 guidelines:

2.4.11

2.5.7

2.5.8

3.2.6

3.3.7

3.3.8

Chapter 10: [Non-Web Documents](#)

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Chapter 11: Software

Notes: Not applicable. The product is a web application and does not have authoring tool functionality.

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
12.1.2 Accessible documentation	Not Applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	
12.2.3 Effective communication	Not applicable	
12.2.4 Accessible documentation	Not Applicable	

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer

© 2023 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® International Edition Version 2.4Rev." Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.