Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.4Rev[1]

Name of product/version:	L4 Load Balancer
Report date:	Web application
Product description:	20 January 2023
Contact information:	gcp-accessibility@google.com
Evaluation methods used:	The [W3C Website Accessibility Conformance Evaluation Methodology](#) (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers. The following applications were used as part of the audit to identify potential accessibility issues: ● Desktop browsers: Chrome (JAWS), Firefox (NVDA), and Safari (VoiceOver) ● Assistive technologies: JAWS, NVDA, and VoiceOver ● Accessibility testing tools: ARC Toolkit and Colour Contrast Analyser
Applicable standards/guidelines:	This report covers the degree of conformance for the following accessibility standards/guidelines:

	- [Web Content Accessibility Guidelines (WCAG) 2.0](#) Level A and AA - [Web Content Accessibility Guidelines (WCAG) 2.1](#) Level A and AA - [Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018](#) - [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)](#) and [EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)](#)

Table of contents

Terms

The terms used in the conformance level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially supports: Some functionality of the product does not meet the criterion.

Does not support: The majority of product functionality does not meet the criterion.

Not applicable: The criterion is not relevant to the product.

Not evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services

- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria - 9.1.1.1 (Web) - 10.1.1.1 (Non-web document) - 11.1.1.1.1 (Open Functionality Software) - 11.1.1.1.2 (Closed Functionality Software)	Partially supports	Supports with the following exception: Status icons in "Backend - Frontend – Review" with meaningful content do not have a text alternative.

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Audio-only and Video-only (Prerecorded).

Criteria	Conformance level	Remarks and explanations
11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Captions (Prerecorded).

Criteria	Conformance level	Remarks and explanations
● 9.1.2.2 (Web) ● 10.1.2.2 (Non-web document) ● 11.1.2.2 (Open Functionality Software) ● 11.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		

Criteria	Conformance level	Remarks and explanations
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Audio Description or Media Alternative (Prerecorded).

Criteria	Conformance level	Remarks and explanations
● 602.3 (Support Docs)		
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) – Informative only ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508	Supports	

Criteria	Conformance level	Remarks and explanations
501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) – Informative only 11.8.2 (Authoring Tool) 12.1.2 (Product Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software)	Partially supports	Supports with the following exceptions: ● When the "Health check" input or the "Backup pool (Optional)" has a value and the "Failover Ratio" is left blank, the control border and label turn red, using color as the only visual means of conveying information. ● When collapsed, the currently selected page in the side navigation is visually indicated by color-alone changing the background and

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		foreground colors of the toolbar icon.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Audio Control.

Criteria	Conformance level	Remarks and explanations
● 11.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document)	Supports	

Criteria	Conformance level	Remarks and explanations
● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria ● 9.2.1.2 (Web)	Supports	

Criteria	Conformance level	Remarks and explanations
10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to:	Supports	

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria ● 9.2.2.1 (Web)	Supports	

Criteria	Conformance level	Remarks and explanations
● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A) Also applies to:	Not Applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Pause, Stop,

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria ● 9.2.2.2 (Web) ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		

Criteria	Conformance level	Remarks and explanations
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool)	Supports	

Criteria	Conformance level	Remarks and explanations
● 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508	Supports	

Criteria	Conformance level	Remarks and explanations
501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs		
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) ● 11.2.4.3 (Closed Software)	Partially supports	Supports with the following exceptions: ● While focus is on the "Name" text field or on any of the three help buttons, pressing UP ARROW or DOWN ARROW unexpectedly causes focus to jump into the tablist below ● The order in which focusable elements receive focus in the Backend - Frontend - Review tablist is not logical. Pressing SHIFT+TAB. Focus moves.

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software)	Partially supports	Supports with the following exceptions: The "Learn More" link in "Backend configuration" and "Backend configuration Health check" does not indicate the purpose of the link.

Criteria	Conformance level	Remarks and explanations
11.2.4.4 (Closed Software 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) 10.2.5.1 (Non-web document)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Pointer Gestures.

Criteria	Conformance level	Remarks and explanations
● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software)	Supports	

Criteria	Conformance level	Remarks and explanations
● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3.1 (Open Functionality Software) ● 11.2.5.3.2 (Closed Software) – Informative only	Partially supports	Supports with the following exceptions: ● The "Learn more" link in "Backend configuration" and "Backend configuration Health check" has an accessible name that does not include the visible text "Learn more". ● The accordion toggle button in expanded state has accessible name which does not contain the visible text "New backend" ● A checkbox in "Backend configuration advanced" has an accessible name that does not match or contain the

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		visible text label for the control. Two pieces of text together provide the visual label: "Drop traffic" and "Enable (Drop new connections if no healthy VMs)". However, the accessible name is only the second piece of text: "Enable (Drop new connections if no healthy VMs)".
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Motion Actuation.

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software)	Supports	Supports with the following exception: ● When the user changes the value of the "Region" or "Network" control, focus jumps away unexpectedly, landing on an accordion disclosure trigger in the Backend Configuration tab panel

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software)	Partially supports	Supports with the following exception: ● The automatically detected input error when the "Health check" input or the "Backup pool (Optional)" has a value and the "Failover Ratio" is left blank is not identified and described in text to users.

Criteria	Conformance level	Remarks and explanations
● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document)	Partially supports	Supports with the following exception: Additional instructions on how the user can navigate to the help button once the focus lands in the data cell is not provided in the "Load Balancer detail grid.

Criteria	Conformance level	Remarks and explanations
11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web)	Partially supports	Supports with the following exception: In the "Backend configuration" when two or more accordion panels are present, they contain elements with duplicate ID values.

Criteria	Conformance level	Remarks and explanations
10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
4.1.2 Name, Role, Value (Level A) Also applies to:	Partially supports	Supports with the following exceptions:

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		● Status icons in "Backend - Frontend – Review" are intentionally hidden from screen reader users. ● The "Backend - Frontend – Review" tablist control does not have an accessible name. ● The modal dialog that appears in the "Backend configuration Instance group" have label and description announcements that are confusing. The required "Subnetwork" form controls do not communicate they are required visually or programmatically.

Table 2: Success Criteria, Level AA

Criteria	Conformance level	Remarks and explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.2.4 (Web) ● 10.1.2.4 (Non-web document) ● 11.1.2.4 (Open Functionality Software) ● 11.1.2.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Captions (Live).

Criteria	Conformance level	Remarks and explanations
● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Audio Description (Prerecorded).

Criteria	Conformance level	Remarks and explanations
Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.3.5 (Web) ● 10.1.3.5 (Non-web document) ● 11.1.3.5.1 (Open Functionality Software) ● 11.1.3.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Identify Input Purpose.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 – Does not apply		
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software)	Partially supports	Supports with the following exceptions: ● "Cancel" and "Done" buttons in "Backend Configuration" when hovered. ● SELECT EXISTING INSTANCE GROUPS" and "SELECT EXISTING INSTANCES" buttons in "Target Pool – Configuration" when hovered

Criteria	Conformance level	Remarks and explanations
● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508	Supports	

Criteria	Conformance level	Remarks and explanations
501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10 (Open Functionality Software) ● 11.1.4.10 (Closed Software) ● 11.8.2 (Authoring Tool)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
Revised Section 508 – Does not apply		
1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	

Criteria	Conformance level	Remarks and explanations
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) – Does not apply to non-web software	Supports	

Criteria	Conformance level	Remarks and explanations
● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs		
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs)	Partially supports	Supports with the following exceptions: ● All the dialogs that open when the "Help" button is clicked, have a generic name "Help tooltip" and hence are not sufficiently descriptive. ● The "Help popup" generic label for the "Health check" help disclosure button and the "Logout" help disclosure button do not sufficiently describe the functionality of the interactive. ● In the "Backend Configuration – Advanced" the group name "Expanded group contents" does not sufficiently describe a group of form controls. ● The name "Instance group Network and Region for load balancer are not selected", the text without proper punctuations makes the

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		purpose of the control unclear.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool)	Supports	

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.1.2 (Web) ● 10.3.1.2 (Non-web document) ● 11.3.1.2 (Open Functionality Software) – Does not apply	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Language of Parts.

Criteria	Conformance level	Remarks and explanations
● 11.3.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.2.3 (Web)	Supports	

Criteria	Conformance level	Remarks and explanations
10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not		

Criteria	Conformance level	Remarks and explanations
apply to non-web docs		
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Supports	

Criteria	Conformance level	Remarks and explanations
Revised Section 508 ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs		
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software)	Partially supports	Supports with the following exceptions: ● When the "Name" or the "Network" input controls are left blank the error is identified and displayed in text, but that error message did not provide a suggested value or pattern. ● When an erroneous value is entered in the "IP Address" input control the error is identified and displayed in text, but that error message did not provide a suggested value or pattern.

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software)	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to Error Prevention (Legal, Financial, Data).

Criteria	Conformance level	Remarks and explanations
• 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document)	Supports	

Criteria	Conformance level	Remarks and explanations
11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: **Functional Performance Criteria** (FPC)

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Partially supports	Detailed information can be found in WCAG 2.0: ● 1.1.1 Non-Text Content ● 2.4.3 Focus Order ● 2.4.4 Link Purpose (In Context) ● 3.3.1 Error Identification ● 3.2.2 On Input ● 4.1.2 Name, Role, Value
302.2 With Limited Vision	Partially supports	Detailed information can be found in WCAG 2.0: ● 1.1.1 Non-Text Content ● 1.4.1 Use of Color ● 1.4.3 Contrast (Minimum) ● 2.4.3 Focus Order ● 2.4.4 Link Purpose (In Context) ● 3.2.2 On Input ● 3.3.1 Error Identification ● 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Partially supports	Detailed information can be found in WCAG 2.0: 1.4.1 Use of color
302.4 Without Hearing	Supports	The product does not have audio content that would require user hearing.

Criteria	Conformance level	Remarks and explanations
302.5 With Limited Hearing	Supports	The product does not have audio content that would require user hearing.
302.6 Without Speech	Supports	The product does not have functionality that would require user speech.
302.7 With Limited Manipulation	Partially supports	Detailed information can be found in WCAG 2.0: ● 2.4.3 Focus order ● 3.2.2 On Input
302.8 With Limited Reach and Strength	Supports	The product is usable with limited reach and strength. The product does not include hardware relevant for this criterion.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially supports	Detailed information can be found in WCAG 2.0: ● 2.4.6 Headings and Labels ● 3.3.1 Error identification ● 3.3.2 Labels or Instructions

Chapter 4: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 5: Software

Notes: Not applicable. The product is a web application and does not have authoring tool functionality.

Chapter 6: Support Documentation and Services

Criteria	Conformance level	Remarks and explanations
601.1 Scope		
602 Support Documentation		
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	Supports	●
602.4 Alternate Formats for Non-Electronic Support Documentation	Not applicable	
603 Support Services		
603.2 Information on Accessibility and Compatibility Features	Not applicable	
603.3 Accommodation of Communication Needs	Supports	

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially supports	Detailed information can be found in WCAG 2.1: ● 1.1.1 Non-Text Content ● 2.4.3 Focus Order ● 2.4.4 Link Purpose (In Context) ● 3.3.1 Error Identification ● 3.2.2 On Input ● 4.1.2 Name, Role, Value
4.2.2 Usage with limited vision	Partially supports	Detailed information can be found in WCAG 2.1: ● 1.1.1 Non-Text Content ● 1.4.1 Use of Color ● 1.4.3 Contrast (Minimum) ● 2.4.3 Focus Order ● 2.4.4 Link Purpose (In Context) ● 3.3.1 Error Identification ● 3.2.2 On Input ● 4.1.2 Name, Role, Value
4.2.3 Usage without perception of colour	Partially supports	Detailed information can be found in WCAG 2.1: 1.4.1 Use of color
4.2.4 Usage without hearing	Supports	The product does not have audio content that would require user hearing.

Criteria	Conformance Level	Remarks and Explanations
4.2.5 Usage with limited hearing	Supports	The product does not have audio content that would require user hearing.
4.2.6 Usage without vocal capability	Supports	The product does not have functionality that would require user speech.
4.2.7 Usage with limited manipulation or strength	Partially supports	Detailed information can be found in WCAG 2.1: ● 2.4.3 Focus order ● 2.5.3 Label in Name ● 3.2.2 On Input
4.2.8 Usage with limited reach	Supports	The product is usable with limited reach. The product does not include hardware relevant for this criterion.
4.2.9 Minimize photosensitive seizure triggers	Supports	The product does not have flashing content.
4.2.10 Usage with limited cognition	Partially supports	Detailed information can be found in WCAG 2.0: ● 2.4.6 Headings and Labels ● 3.3.1 Error identification ● 3.3.2 Labels or Instructions

Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Supports	The product maintains equivalent privacy for users of accessibility features.

Chapter 5: [Generic Requirements](#)

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.2 Auditory output delivery including speech	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.3 Auditory output correlation	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.4 Speech output user control	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.5 Speech output automatic interruption	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.6 Speech output for non-text content	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.7 Speech output for video information	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.8 Masked entry	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.9 Private access to personal data	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.10 Non-interfering audio output	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.11 Private listening	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.12 Speaker volume	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.13 Volume reset	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.14 Spoken languages	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.15 Non-visual error identification	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.4 Functionality closed to text enlargement	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from enlarging text.
5.1.5 Visual output for auditory information	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.1.6.2 Input focus	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.2 Activation of accessibility features.
5.3 Biometrics	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics.
5.4 Preservation of accessibility information during conversion	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.5.2 Operable parts discernibility	Supports	On-screen controls, such as buttons, are distinguishable without user vision.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.6.1 Tactile or auditory status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status.
5.6.2 Visual status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status.
5.7 Key repeat	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat.
5.8 Double-strike key acceptance	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance.
5.9 Simultaneous user actions	Supports	The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

Chapter 7: ICT with Video Capabilities

Notes: Not applicable. The product does not display, transmit, convert, or record video.

Chapter 8: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 9: Web

See the WCAG 2.x Report section.

Chapter 10: Non-Web Documents

Notes: Not applicable. The product does not include non-web documents.

Chapter 11: Software

Notes: Not applicable. The product is a web application and does not have authoring tool functionality.

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	
12.1.2 Accessible documentation	Not applicable	
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not applicable	
12.2.3 Effective communication	Supports	
12.2.4 Accessible documentation	Not applicable	

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer

© 2023 Google LLC. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of Google regarding information about the subject Google product as outlined in the ITI's "VPAT® International Edition Version 2.4Rev." Google cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but Google works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.