Google Accessibility Conformance Report

International edition, based on VPAT® Version 2.5Rev[1]

Name of product/version:	Vertex AI Vector Search
Report date:	31 March 2025
Product description:	Web application
Contact information:	gcp-accessibility@google.com
Evaluation methods used:	The [W3C Website Accessibility Conformance Evaluation Methodology](#) (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple browser platforms. The following applications were used as part of the audit to identify potential accessibility issues: ● Desktop browsers: Chrome (JAWS), Firefox (NVDA), and Safari (Voiceover) ● Assistive technologies: JAWS, NVDA, and Voiceover ● Accessibility testing tools: Axe Auditor, Axe Dev tools Pro and Colour Contrast Analyser
Applicable standards/guidelines:	This report covers the degree of conformance for the following accessibility standards/guidelines: ● [Web Content Accessibility Guidelines (WCAG) 2.0](#) Level A and AA ● [Web Content Accessibility Guidelines (WCAG) 2.1](#) Level A and AA ● [Web Content Accessibility Guidelines (WCAG) 2.2](#) Level A and AA ● [Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018](#) ● [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)](#) and [EN 301 549](#)

---

[1] "Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

	[Accessibility requirements for ICT products and services - V3.2.1 (2021-03)](#)

Table of contents

Terms

The terms used in the conformance level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

Partially supports: Some functionality of the product does not meet the criterion.

Does not support: The majority of product functionality does not meet the criterion.

Not applicable: The criterion is not relevant to the product.

Not evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services

- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.2 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance level	Remarks and explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software)	Web: Supports	Non-text content has text alternatives or a text alternate that serves an equivalent purpose.

Criteria	Conformance level	Remarks and explanations
• 504.2 (Authoring Tool) • 602.3 (Support Docs)		

1.2.1 Audio-only and Video-only (Prerecorded) (Level A)
    Also applies to:
    EN 301 549 Criteria
        • 9.1.2.1 (Web)
        • 10.1.2.1 (Non-web document)
        • 11.1.2.1.1 (Open Functionality Software)
        • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)
        • 11.8.2 (Authoring Tool)
        • 12.1.2 (Product Docs)
        • 12.2.4 (Support Docs)
    Revised Section 508
        • 501 (Web)(Software)
        • 504.2 (Authoring Tool)
        • 602.3 (Support Docs)
	Web: Not Applicable	Prerecorded audio-only files are not present.

1.2.2 Captions (Prerecorded) (Level A)
    Also applies to:
    EN 301 549 Criteria
        • 9.1.2.2 (Web)
        • 10.1.2.2 (Non-web document)
	Web: Not Applicable	Prerecorded videos are not present.

Criteria	Conformance level	Remarks and explanations
11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software)	Web: Not Applicable	Prerecorded videos are not present, so audio description is not required.

Criteria	Conformance level	Remarks and explanations
● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.3.1 Info and Relationships (Level A) 　Also applies to: 　EN 301 549 Criteria 　　● 9.1.3.1 (Web) 　　● 10.1.3.1 (Non-web document) 　　● 11.1.3.1.1 (Open Functionality Software) 　　● 11.1.3.1.2 (Closed Software) – Informative only 　　● 11.8.2 (Authoring Tool) 　　● 12.1.2 (Product Docs) 　　● 12.2.4 (Support Docs) 　Revised Section 508 　　● 501 (Web)(Software) 　　● 504.2 (Authoring Tool) 　　● 602.3 (Support Docs)	Web: Supports	Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.
1.3.2 Meaningful Sequence (Level A) 　Also applies to: 　EN 301 549 Criteria 　　● 9.1.3.2 (Web) 　　● 10.1.3.2 (Non-web document)	Web: Supports	The reading and navigation order is logical and intuitive.

Criteria	Conformance level	Remarks and explanations
11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) – Informative only 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software)	Web: Supports	Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.

Criteria	Conformance level	Remarks and explanations
504.2 (Authoring Tool) 602.3 (Support Docs)		
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software)	Web: Supports	A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.

Criteria	Conformance level	Remarks and explanations
11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard), If shortcut keys and access keys are present, they do not conflict with existing browser and screen reader shortcuts, and functionality based on custom gestures is available when a screen reader is turned on.

Criteria	Conformance level	Remarks and explanations

2.1.2 No Keyboard Trap (Level A)
Also applies to:
EN 301 549 Criteria
    ● 9.2.1.2 (Web)
    ● 10.2.1.2 (Non-web document)
    ● 11.2.1.2 (Open Functionality Software)
    ● 11.2.1.2 (Closed Software)
    ● 11.8.2 (Authoring Tool)
    ● 12.1.2 (Product Docs)
    ● 12.2.4 (Support Docs)
Revised Section 508
    ● 501 (Web)(Software)
    ● 504.2 (Authoring Tool)
    ● 602.3 (Support Docs)
	Web: Supports	Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.

2.1.4 Character Key Shortcuts (Level A 2.1 only)
Also applies to:
EN 301 549 Criteria
    ● 9.2.1.4 (Web)
    ● 10.2.1.4 (Non-web document)
    ● 11.2.1.4.1 (Open Functionality Software)
    ● 11.2.1.4.2 (Closed Software)
    ● 11.8.2 (Authoring Tool)
	Web: Supports	If a single character key shortcut exists, then the single character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A) 　Also applies to: 　EN 301 549 Criteria 　● 9.2.2.1 (Web) 　● 10.2.2.1 (Non-web document) 　● 11.2.2.1 (Open Functionality Software) 　● 11.2.2.1 (Closed Software) 　● 11.8.2 (Authoring Tool) 　● 12.1.2 (Product Docs) 　● 12.2.4 (Support Docs) 　Revised Section 508 　● 501 (Web)(Software) 　● 504.2 (Authoring Tool) 　● 602.3 (Support Docs)	Web: Supports	If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.
2.2.2 Pause, Stop, Hide (Level A) 　Also applies to: 　EN 301 549 Criteria 　● 9.2.2.2 (Web) 　● 10.2.2.2 (Non-web document)	Web: Supports	Moving, blinking, scrolling, or auto-updating information can be paused, stopped, hidden, or otherwise controlled by the user.

Criteria	Conformance level	Remarks and explanations
• 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software)	Web: Not Applicable	The tested application does not contain flashing content.

Criteria	Conformance level	Remarks and explanations
504.2 (Authoring Tool) 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports	A method is provided to skip navigation and other page elements that are repeated across web pages.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria	Web: Supports	Pages have descriptive and informative titles.

Criteria	Conformance level	Remarks and explanations
9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs)	Web: Supports	The navigation order of interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.
2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: EN 301 549 Criteria ● 9.2.5.1 (Web)	Web: Supports	All functionality that can be operated with a pointer can be operated with single-point actions.

Criteria	Conformance level	Remarks and explanations
● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	For functionality that can be operated using a single pointer, at least one of the following is true: - The action is not triggered on the down event. - The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. - The up-event reverses any outcome of the preceding down-event. - Completing the function on the down-event is essential.
2.5.3 Label in Name (Level A 2.1 only)	Web: Supports	For all user interface components that include visible text labels, the

Criteria	Conformance level	Remarks and explanations
Also applies to: EN 301 549 Criteria ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3.1 (Open Functionality Software) ● 11.2.5.3.2 (Closed Software) – Informative only ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		accessible name matches (or includes) the visible text in the label.
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)	Web: Supports	Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	The language of each page is correct and can be determined programmatically.
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software)	Web: Supports	When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
3.2.6 Consistent Help (Level A 2.2 only)	Web: Supports	On web pages that contain help features (including human or automated contact options or

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply		self-help options), those features occur in the same order relative to other page content unless the user changes that order.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software	Web: Supports	For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected.

Criteria	Conformance level	Remarks and explanations
11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered information is no longer valid or re-entering the information is essential or required to ensure security.
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool)	Web: Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.

Criteria	Conformance level	Remarks and explanations
● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	The name, role, state, and value of each user interface components can be programmatically determined.

Table 2: Success Criteria, Level AA

Criteria	Conformance level	Remarks and explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Live multimedia files with audio are not present, so synchronized captions are not required.
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software)	Web: Not Applicable	Prerecorded multimedia files are not present, so audio descriptions are not required.

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.3.4 Orientation (Level AA 2.1 only) 　Also applies to: 　EN 301 549 Criteria ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
1.3.5 Identify Input Purpose (Level AA 2.1 only) 　Also applies to: 　EN 301 549 Criteria ● 9.1.3.5 (Web)	Web: Supports	The purpose for each input field that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.

Criteria	Conformance level	Remarks and explanations
● 10.1.3.5 (Non-web document) ● 11.1.3.5.1 (Open Functionality Software) ● 11.1.3.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool)	Web: Supports	Text and images of regular text have the required color contrast ratio with their backgrounds.

Criteria	Conformance level	Remarks and explanations
● 602.3 (Support Docs)		
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	Content is readable and functional when browser zoom is set to 200% of its initial size.
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software)	Web: Supports	When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance level	Remarks and explanations
● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10 (Open Functionality Software) ● 11.1.4.10 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	The content of each page is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide.
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria ● 9.1.4.11 (Web)	Web: Supports	The boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background.

Criteria	Conformance level	Remarks and explanations
● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		

1.4.12 Text Spacing (Level AA 2.1 only)
    Also applies to:
    EN 301 549 Criteria
● 9.1.4.12 (Web)
● 10.1.4.12 (Non-web document)
● 11.1.4.12 (Open Functionality Software)
● 11.1.4.12 (Closed Software)
● 11.8.2 (Authoring Tool)
● 12.1.2 (Product Docs)
● 12.2.4 (Support Docs)
Revised Section 508 – Does not apply
	Web: Supports	The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.

1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Web: Supports	When additional content is triggered by pointer hover or keyboard focus, that additional content can be

Criteria	Conformance level	Remarks and explanations
Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		dismissed and hovered over, and the content persists until the user dismisses it.
2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	Web: Supports	Multiple ways are available to find other pages on the site.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs		
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	All headings and labels for form and interactive controls are informative.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria	Web: Supports	It is visually apparent which page element is currently receiving keyboard focus.

Criteria	Conformance level	Remarks and explanations
9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	All functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	The size of the target for each clickable control is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with

Criteria	Conformance level	Remarks and explanations
		equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.
3.2.3 Consistent Navigation (Level AA) Also applies to:	Web: Supports	Navigation patterns that are repeated on web pages are presented in the same relative order each time they

Criteria	Conformance level	Remarks and explanations
EN 301 549 Criteria • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs		appear and do not change order when navigating through the site.
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality	Web: Supports	Labels, names, and text alternatives for content that have the same functionality across multiple web pages are consistently identified.

Criteria	Conformance level	Remarks and explanations
Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs		
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs)	Web: Supports	If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.

Criteria	Conformance level	Remarks and explanations
● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Web: Supports	If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply	Web: Supports	A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive

Criteria	Conformance level	Remarks and explanations
Revised Section 508 – Does not apply		function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.

4.1.3 Status Messages (Level AA 2.1 only)
Also applies to:
EN 301 549 Criteria
  ● 9.4.1.3 (Web)
  ● 10.4.1.3 (Non-web document)
  ● 11.4.1.3 (Open Functionality Software)
  ● 11.4.1.3 (Closed Software) – Does not apply
  ● 11.8.2 (Authoring Tool)
  ● 12.1.2 (Product Docs)
  ● 12.2.4 (Support Docs)
Revised Section 508 – Does not apply
	Web: Supports	In all cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus.

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: **Functional Performance Criteria** (FPC)

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Web: Supports	Web: All functionality is usable without vision.
302.2 With Limited Vision	Web: Supports	Web: All functionality is usable with limited vision.
302.3 Without Perception of Color	Web: Supports	Web: All functionality is usable without perception of color.
302.4 Without Hearing	Web: Supports	Web: All functionality is usable without hearing.
302.5 With Limited Hearing	Web: Supports	Web: All functionality is usable with limited hearing.
302.6 Without Speech	Web: Not Applicable	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Supports	Web: All functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations.
302.8 With Limited Reach and Strength	Web: Supports	Web: All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Supports	Web: All functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features

Criteria	Conformance level	Remarks and explanations
		that allow them to adapt content and work with assistive technology.

Chapter 4: Hardware

Notes: Not applicable. The product is not a hardware product.

Chapter 5: [Software]

Notes: Google Vertex AI Vector Search is a web application, so its compliance with some of this chapter's criteria is dependent on the accessibility features available in the browser and operating system used to access this application.

Criteria	Conformance level	Remarks and explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Supports	
502.2.2 No Disruption of Accessibility Features	Supports	
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Web: Supports	Web: The role, state(s), properties, boundary, name, and description of each object is programmatically determinable, so those attributes can be perceived and conveyed by assistive technology.
502.3.2 Modification of Object Information	Web: Supports	Web: When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived

Criteria	Conformance level	Remarks and explanations
		and performed using assistive technology.
502.3.3 Row, Column, and Headers	Web: Supports	Web: When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.
502.3.4 Values	Web: Supports	Web: When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.
502.3.5 Modification of Values	Web: Supports	Web: When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.6 Label Relationships	Web: Supports	Web: When a page contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling

Criteria	Conformance level	Remarks and explanations
		relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology.
502.3.7 Hierarchical Relationships	Web: Supports	Web: When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
502.3.8 Text	Web: Supports	The content of text objects, text attributes, and the boundary of text rendered to the screen, are programmatically determinable.
502.3.9 Modification of Text	Web: Supports	All text that can be set by the user is capable of being set programmatically, including through assistive technology.
502.3.10 List of Actions	Web: Supports	For objects, a list of all actions that can be executed on that object are programmatically determinable.
502.3.11 Actions on Objects	Web: Supports	Web: When one or more actions may be performed on an element, all of those actions are available programmatically, so that each action can be performed using assistive technology.

Criteria	Conformance level	Remarks and explanations
502.3.12 Focus Cursor	Web: Supports	The application exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.
502.3.13 Modification of Focus Cursor	Web: Supports	All focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including using assistive technology.
502.3.14 Event Notification	Web: Supports	Web: Status messages relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Web: Supports	The application does not have independent accessibility features. It utilizes the accessibility features of the browser and operating system used to access it.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Web: Supports	The application permits user preferences from platform settings for color, contrast, font type, font size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance level	Remarks and explanations
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	Not Applicable	
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	
504.3 Prompts	Not Applicable	
504.4 Templates	Not Applicable	

Chapter 6: Support Documentation and Services

Criteria	Conformance level	Remarks and explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not Applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
602.3 Electronic Support Documentation	Not applicable	Support documentation for this product exists but is verified in another Accessibility Conformance Report.
602.4 Alternate Formats for Non-Electronic Support Documentation	Not applicable	
603 Support Services		
603.2 Information on Accessibility and Compatibility Features	Supports	
603.3 Accommodation of Communication Needs	Supports	

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Supports	Web: All functionality is usable without vision.
4.2.2 Usage with limited vision	Web: Supports	Web: All functionality is usable with limited vision.
4.2.3 Usage without perception of color	Web: Supports	Web: All functionality is usable without perception of color.
4.2.4 Usage without hearing	Web: Supports	Web: All functionality is usable without hearing.
4.2.5 Usage with limited hearing	Web: Supports	Web: All functionality is usable with limited hearing.
4.2.6 Usage without vocal capability	Web: Not Applicable	Web: The product does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Web: Supports	Web: All functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength.

Criteria	Conformance Level	Remarks and Explanations
4.2.8 Usage with limited reach	Web: Supports	Web: All functionality is usable by people with limited reach.
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.
4.2.10 Usage with limited cognition	Web: Supports	Web: All functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.
4.2.11 Privacy	Web: Supports	The Google Vertex AI Vector Search webpages do not provide any privacy features.

Chapter 5: [Generic Requirements](#)

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.2 Auditory output delivery including speech	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.3 Auditory output correlation	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.4 Speech output user control	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.5 Speech output automatic interruption	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.6 Speech output for non-text content	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.7 Speech output for video information	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.8 Masked entry	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.9 Private access to personal data	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.10 Non-interfering audio output	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.11 Private listening	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.12 Speaker volume	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.14 Spoken languages	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.15 Non-visual error identification	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from attaching, installing, or using assistive technology.
5.1.4 Functionality closed to text enlargement	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from enlarging text.
5.1.5 Visual output for auditory information	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.1.5 Visual output for auditory information.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.

Criteria	Conformance Level	Remarks and Explanations
5.1.6.2 Input focus	Not applicable	The product does not contain functionality limited by characteristics that prevent a user from operating a keyboard interface.
5.2 Activation of accessibility features	Not applicable	The product's documented accessibility features for specific needs can be activated without relying on a method that does not support that need.
5.3 Biometrics	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.3 Biometrics.
5.4 Preservation of accessibility information during conversion	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.4 Preservation of accessibility information during conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.5.2 Operable parts discernibility	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.5 Operable parts – 5.5.1 Means of operation.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not applicable	The criterion is not relevant to the product. The product does not have a feature

Criteria	Conformance Level	Remarks and Explanations
		relevant to 5.6 Locking or toggle controls – 5.6.1 Tactile or auditory status.
5.6.2 Visual status	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.6 Locking or toggle controls – 5.6.2 Visual status.
5.7 Key repeat	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.7 Key repeat.
5.8 Double-strike key acceptance	Not applicable	The criterion is not relevant to the product. The product does not have a feature relevant to 5.8 Double-strike key acceptance.
5.9 Simultaneous user actions	Supports	The product does not require simultaneous user actions. The product is compatible with system settings for sequential key presses, such as Sticky Keys.

Chapter 6: [ICT with Two-Way Voice Communication](#)

Notes: Not applicable. The product does not contain functionality relating to, nor does it require/rely on, two-way voice communication.

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Applicable	
7.1.2 Captioning synchronization	Not Applicable	
7.1.3 Preservation of captioning	Not Applicable	
7.1.4 Captions characteristics	Not Applicable	
7.1.5 Spoken subtitles	Not Applicable	
7.2.1 Audio description playback	Not Applicable	
7.2.2 Audio description synchronization	Not Applicable	
7.2.3 Preservation of audio description	Not Applicable	
7.3 User controls for captions and audio description	Not Applicable	

Chapter 8: **Hardware**

Notes: Not applicable. The product is not a hardware product.

Chapter 9: [Web](#)

Reference the [WCAG 2.2](#) Report for related issues, minus the issues for WCAG 2.2, which are out of scope for EN 301 549 guidelines:

2.4.11
2.5.7
2.5.8
3.2.6
3.3.7
3.3.8

Chapter 10: Non-Web Documents

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	
10.6 Audio description timing	Not Applicable	

Chapter 11: [Software](#)

Notes: Not applicable. The product is a web application and does not have authoring software tool functionality.

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	
12.1.2 Accessible documentation	Supports	
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	
12.2.3 Effective communication	Not applicable	
12.2.4 Accessible documentation	Supports	

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. The product does not provide relay or emergency service access.

Legal disclaimer